

: 17/07-09-2016 ( : 75 46530 - 2 ), 26/ 04-10-2012 ( : 4 81-70 )

	μ.		1501-+	( 17/07-09-2016)	
μ					
02	1	- μ	02-02-01-00 *		02-02-01-00
02.1	2	μ μ μ			
01	3	5,00 m μ	02-04-00-00		
\ 12	4	μ μ	15-02-01-01		
01	5	μ μ μ			
3.12	6	μ μ μ μ μ			
29.3.1	7	μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
30.3	8	μ B500C μ μ , x μ	01-02-01-00 *	μ μ	01-02-01-00
51	9	μ	05-02-01-00 *	- -	05-02-01-00
16.01	10	μ μ			
56.1	11	PVC 6 μ., 110			
56.3	12	PVC 6 μ., 300			
38.45	13	μ μ			
9.31.01	14	μ			

	μ.		1501- +	( 17/07-09-2016)	
μ					
16.07	15	E			
\ 29.4.4	16	μ 110 80 BETEL ( 11 059999)			
02.1	17	μ	05-03-03-00 *	μ	05-03-03-00
\ 10.1	18	μ 1 1/2"			
\ 09.4	19	μ			
\9302.2.2	20	μ ( μ : 0,3m x 0,6m)			
9301.1	21	μ			
\9313.10.2	22	μ x ) 0,8μ x 0,6μ x 0,55μ : ( x			
\9315	23	P.V.C. 100, 6atm μμ			
9340.3	24	μ 25mm2			
\9305.1.3	25	μ μμ			
\9315.2.1	26	μ 63mm .			
9316.7	27	μ 3 ins μ			
\8773.6.5	28	NY Y μ 5 10 mm2			
8766.3.2	29	MT μ 3 2,5mm2			
60.10.80.01	30	μ	05-07-01-00 *	μ μ	05-07-01-00
\9367. 1.1	31	μ μ μ POWER LED (2-3)W			
\9322.8.3	32	μ " μ 3,50m μ μ " LED 55Watt			
\22.56	33	μ	15-02-02-02		
22.20.01	34				
\22.10	35	μ ) ( μ			

	μ.		1501- +	( 17/07-09-2016)	
μ					
20.30	36	μ μ μ			
\10.07.01	37	μ			
22.22.02	38	μ ,			
79.37	39	μ μ μ	08-05-02-05		
\75.68	40	μ 3	03-07-04-00 *	μ (μ μ . )	03-07-04-00
\75.68	41	( - )	03-07-03-00 *	μ	03-07-03-00
\78.97.	42	μ .			
06	43	μ μ ,	02-07-05-00		
07	44	μ μ	02-07-05-00		
09.2	45	20 - 40 cm	08-01-03-01		
9305.3	46	μμ			
09.2.13.3	47	, 30 x 40 cm, 4 /			
09.2.1	48	μμ μ μ	10-08-01-00		
01.2.3	49	μ 32 mm 10 atm, μ	10-08-01-00		
08.1.1	50	μ μ , μ	10-08-01-00		
04.8.3	51	1 in , μ , μ μ	10-08-01-00		
05.1.3	52	μ μ , 1 in , , PN 16 atm,	10-08-01-00		
01.5	53	, 5	10-09-01-00		
04.3	54	μ μ 1,00 1,00 1,00 m μ μ ,	10-05-01-00		
09.6	55	μ μ μ 12,50 - 22,00 lt	10-05-01-00		
11.1.1	56	μ 2,50 m μ μ	10-05-09-00		
01.1.2	57	μ 20 mm ( ) 6 atm, μ	10-08-01-00		

	μ.		1501- +	( 17/07-09-2016)	
μ					
11.9	58	μμ	μ		

XA

9/7/2018

9/7/2018

9/7/2018

μ

3/

/

4/

3/

5/

/