

/

μ

:

μ

4607/ /13-12-2019 & 1437 /16-04-2020

	μ.		1501- +	
μ				
02	1	- μ	02-02-01-00	
02.1	2	μ μ μ		
\ 02.2	3		02-02-01-00	
12	4	μ μ	15-02-01-01	μ μ μ μ
18.2	5	μ , μ 4	02-06-00-00	- μ μ μ
02.1	6	μ	05-03-03-00	μ
02.2	7	0,10 m (. . . -155)	05-03-03-00	μ
\ .	8	μ μ μ μ (μ) μ μ		
01	9	5,00 m μ	02-04-00-00	μ
29.3.1	10	, μ , μ C16/20	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	
			01-03-00-00	μ
			01-04-00-00	μ ()
01-05-00-00	μ () μ			

	μ.		1501- +	
μ				
29.4.4	11	μ μ C20/25	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	
			01-03-00-00	μ
			01-04-00-00	μ ()
			01-05-00-00	μ () μ
51	12	μ	05-02-01-00	μ , μ μ μ μ
85	13	μ μ μ μ		
01	14	μ μ μ		
02	15	μ μ μ μ μ	02-08-00-00	μ
09.4	16	μ μ μ		
09.1	17	, , 0,90 m		
09.3	18	μ μ μ		
06	19		05-04-04-00	
08.3	20	1 , μ 1 μ EN 12899-		
10.1	21	mm (1 1/2") μ DN 40	05-04-07-00	μ
10.2	22	mm (3") μ DN 80	05-04-07-00	μ
09.6	23	μ		
17.2	24	μμ μ μ μ		
1.01	25	μ		
1.02	26	Jersey, μ , New		
1.03	27	μ μ		
1.05	28	μ		

	μ.		1501- +	
μ				
\10.07.01	29	μ		
\20.30	30	μ μ - μ		
\22.20.02	31			
32.01.04	32	μ μ μ μ , μ μ μ μ C16/20	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	
32.02.05	33	μ μ μ μ , μ μ μ C20/25	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	

	μ.		1501- +	
μ				
32.25.04	34	μ μ μ , 30,00m3 C20/25 μ		
38.02	35	μ	01-04-00-00	μ ()
38.05	36	μ μ	01-04-00-00	μ ()
38.10	37	μ μ	01-05-00-00	μ () μ
38.13	38	μ μ	01-05-00-00	μ () μ
\38.16	39	μ	01-04-00-00	μ ()
38.18	40	μ μ		
38.20.02	41	μ μ , B500C (S500s)		
38.20.03	42	μ μ , μ μ B500C	01-02-01-00	μ μ
38.45	43	μ μ		
73.61. .06	44	μ (μ) μ μ μ 8 35% 3,5 cm, μ μ		
\73.91.	45			
\74.23	46	μ μ μ		
\74.90.01	47	() μ μ μ 2 cm		
\78.80	48	μ μ corten		
79.21	49	μ μ		
79.36	50	μ μ μ		
\79.81	51	μ		
79.82	52	μ μ (photocatalytic cool materials).		
\54.80.02	53	μ		
61.05	54	160 mm		
61.11	55	μ μ		
64.01.02	56	μ μ μ μ ,		

	μ.		1501- +	
μ				
64.21.03	57	μ μ , 2"		
72.70	58	μ		
73.87	59	μ μ		
\73.41.	60			
77.74.02	61	μ μ , μ μ		
77.33	62	μ μ	03-10-03-00	μ μ
\77.95	63	(antigraffiti) μ μ ,		
\61.05.1	64	μμ		
\61.06	65			
\61.22.1	66			
\61.22.2	67	100 μ		
\61.22.3	68	125 μ		
\9302.2.4	69	, μ (μ : 0,4m x 0,6m)		
9301.1	70	μ μ		
\9313.10.3	71	μ : (x x) 1,0μ x 0,5μ x 0,70μ		
\60.20.40.20	72	90 mm μ μ (HDPE), μ DN (μμ)		
62.10.48.03	73	μ , μ 25 mm ²		
9316.7	74	μ 3 ins μ		
62.10.41.02	75	V μ μ E1VV-U, -R, -S (), μ. 600/1000 μ PVC μ 3 x 2,5 mm ²		
62.10.41.04	76	V μ μ E1VV-U, -R, -S (), μ. 600/1000 μ PVC μ 4 x 10 mm ²		
60.10.80.01	77	μ	05-07-01-00	μ μ
\9367. 8.3.12	78	μ μ μ LED 70W, μ 4000		
\9367. 8.1.12	79	μ μ μ LED 100W, μ 4000		

	μ.		1501- +	
μ				
\9323.2.1.12	80	μ , 10mm/m, μ 3mm 4,0m μ		
\60.10.21	81	μ LED 20Watt, IP65		
\9367.21	82	LED , μ 5 μ 25W		
\8042.1.1.3	83	PE μ 25mm 6atm		
\8042.1.1.4	84	PE μ 32mm 10atm		
\8063.4	85	μ 250mm μ PVC-U		
\8066.1.1	86	μ) 60 90 70 . (-		
\8066.2.1	87	40cm . 40cm X		
16.22	88	μ μ		
16.25	89			
01	90		02-01-02-00	μ
02	91	- μ	02-02-01-00	
08	92	μ	02-07-05-00	- μ
06	93	μ μ ,	02-07-05-00	- μ
01	94	μ		
01.9	95	, 9	10-09-01-00	μ μ
01.7	96	, 7	10-09-01-00	μ μ
02.6	97	μ , 6	10-09-01-00	μ μ
02.5	98	μ , 5	10-09-01-00	μ μ
06.2	99	- 2 , ,	10-05-07-00	, μ
03.2	100	μ , 2	10-09-01-00	μ μ
13.2	101	μ	10-05-02-02	μ
04.3	102	μ μ μ μ , 1,00 1,00 1,00 m	10-05-01-00	- μ
01.2	103	μ μ μ μ , 0,50 0,50 0,50 m	10-05-01-00	- μ

	μ.		1501- +	
μ				
09.6	104	μ μ μ 12,50 - 22,00 lt	10-05-01-00	- μ
09.7	105	μ μ μ 23 - 40 lt	10-05-01-00	- μ
09.5	106	μ μ μ 4,50 - 12,00 lt	10-05-01-00	- μ
09.1	107		10-05-01-00	- μ
11.1.2	108	μ 2,50 m μ	10-05-09-00	
04.1.2	109	μ μ 4 m	10-06-04-01	μ
09.1	110	5 - 10 cm ()	08-01-03-01	μ
09.2	111	20 - 40 cm	08-01-03-01	μ
08.2.7.1	112	16 17 mm μ μ μ 33 cm	10-08-01-00	
02.1.6	113	PVC 4 atm, μ μ 100 mm	08-06-02-01	u-PVC
01.2.3	114	μ 32 mm 10 atm, μ	10-08-01-00	
01.1.2	115	μ 20 mm () 6 atm, μ	10-08-01-00	
05.10.3	116	, μ , DN 80 mm	10-08-01-00	
07.2.2	117	10 atm, μ , μ , 1 in , μ 440 cm2 μ 5,00 m3/h	10-08-01-00	
05.7.1	118	B μ μ , μ , μ , μ μ 1 in	10-08-01-00	
07.1	119	μμ , μ 3/4 1 in.		
09.1.1.6	120	(), 10 atm, , μ μ μ μ μ 1 in	10-08-01-00	
09.2.13.4	121	, 50 x 60 cm, 6 /		
09.2.15.4	122	JIVV-U (), μ 5 x 1,5 mm2		
05.1.3	123	μ μ , μ 1 in , PN 16 atm,	10-08-01-00	
09.2.11	124			
04.3.3	125	in μ , μ μ 1	10-08-01-00	
04.4.3	126	, μ , μ μ 1 in	10-08-01-00	
04.6.3	127	in , μ , μ μ 1	10-08-01-00	

	μ.		1501- +	
μ				
04.8.3	128	1 in	10-08-01-00	
04.9.3	129	in	10-08-01-00	
09.2.6.3	130	μ μ / 18	10-08-01-00	
09.2.14.1	131	μ μ 80 x 60 x 25 (cm), 1,2 mm		
μ				
1407				
1444		μ μ 600 kg		
1447		μ μ 400 kg		
2121		μ μ μ		
3211		μ μ 200 kg μ , 0,7 2,5 3 cm		
4623.2		μ μ (μ)		
7122		μ μ μ		

2021

2021

2021

μ

4 μ

/ μ

/

μ 4/

. μ . /

μ